



SEQUENCE LISTING

<110> Proud, Christopher G.
Herbert, Terrence P.
Lane, David P.
Fahraeus, Robin

<120> USE OF PEPTIDES

<130> 9013.42

<140> US 10/019,198
<141> 2001-06-21

<150> PCT/GB00/02414
<151> 2000-06-21

<150> GB 9914480.0
<151> 1999-06-21

<160> 6

<170> PatentIn version 3.2

<210> 1
<211> 12
<212> PRT
<213> Homo sapiens

<400> 1

Lys Lys Arg Tyr Asp Arg Glu Phe Leu Leu Gly Phe
1 5 10

<210> 2
<211> 12
<212> PRT
<213> Triticum aestivum

<400> 2

Arg Val Arg Tyr Ser Arg Asp Gln Leu Leu Asp Leu
1 5 10

<210> 3
<211> 10
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa represents Leu or Met

<400> 3

Arg Ile Ile Tyr Asp Arg Lys Phe Leu Xaa
1 5 10

```
<210> 4
<211> 7
<212> PRT
<213> Artificial sequence

<220>
<223> eIF4E binding peptide sequence

<220>
<221> PEPTIDE
<222> (1)..(7)
<223> Consensus peptide sequence

<220>
<221> misc_feature
<222> (2)..(5)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa represents Leu, Met or Phe

<400> 4

Tyr Xaa Xaa Xaa Xaa Leu Xaa
1 5

<210> 5
<211> 10
<212> PRT
<213> Artificial sequence

<220>
<223> eIF4E binding peptide sequence

<220>
<221> PEPTIDE
<222> (1)..(10)
<223> Consensus peptide sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa represents Lys or Arg

<220>
<221> misc_feature
<222> (2)..(3)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> misc_feature
<222> (5)..(7)
<223> Xaa can be any naturally occurring amino acid
```

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa represents Phe or Gln

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa represents Leu or Met

<400> 5

Xaa Xaa Xaa Tyr Xaa Xaa Xaa Xaa Leu Xaa
1 5 10

<210> 6
<211> 16
<212> PRT
<213> Artificial sequence

<220>
<223> eIF4E binding peptide sequence

<220>
<221> MISC_FEATURE
<222> (1)..(16)
<223> penetratin: membrane translocation peptide

<400> 6

Arg Gln Ile Lys Ile Trp Phe Gln Asn Arg Arg Met Lys Trp Lys Lys
1 5 10 15